

SAFETY DATA SHEET

NITRIC ACID

Page 1 Issued: 02/03/2004 Revision No: 2

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name:	NITRIC ACID
CAS number:	7697-37-2
EINECS number:	231-714-2
Index number:	007-004-00-1
Product code:	REM019
Synonyms:	AQUA FORTIS
Company name:	Rockwood Electronic Materials
	Amber Business Centre
	Riddings
	Alfreton
	Derbyshire
	DE55 4DA
	United Kingdom
	Tel: +44 (0) 1773 844 200
	Fax: +44 (0) 1773 844 244
	Emergency tel: +44 (0) 1773 844 333

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: NITRIC ACID 50-70%

3. HAZARDS IDENTIFICATION

Main hazards: Causes severe burns.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.
Eye contact:	Corneal burns may occur. May cause permanent damage.
Ingestion:	Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding
	from the mouth or nose.
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Exposure may cause
	coughing or wheezing.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.
Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

SAFETY DATA SHEET NITRIC ACID

Page 2

Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and		
	breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies		
	down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available.		
	Transfer to hospital as soon as possible.		
5. FIRE-FIGHTING MEASURES			
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool		
	containers.		
Exposure hazards:	Corrosive. In combustion emits toxic fumes.		
Protection of fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin		
	and eyes.		
6. ACCIDENTAL RELEAS	SE MEASURES		
Personal precautions:	Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from		
	danger point. Mark out the contaminated area with signs and prevent access to unauthorised		
	personnel. Do not attempt to take action without suitable protective clothing - see section 8 of		
	SDS. Turn leaking containers leak-side up to prevent the escape of liquid.		
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.		
Clean-up procedures:	Clean-up should be dealt with only by qualified personnel familiar with the specific substance.		
	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by		
	an appropriate method.		
7. HANDLING AND STOR	AGE		
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do		
	not handle in a confined space. Avoid the formation or spread of mists in the air.		
Storage conditions:	Store in cool, well ventilated area. Keep container tightly closed.		
8. EXPOSURE CONTROL	S / PERSONAL PROTECTION		
Occupational exposure limits			
TWA (8 hr exposure limit):	5.2 mg/m3 (OES)		
STEL (15 min exposure limit):	10 mg/m3 (OES)		
Engineering measures:	Ensure there is sufficient ventilation of the area.		
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.		
Hand protection:	Impermeable gloves.		
nanu protection.			
-	Tightly fitting safety goggles. Ensure eye bath is to hand.		
Eye protection:			
Eye protection:	Tightly fitting safety goggles. Ensure eye bath is to hand. Impermeable protective clothing.		

Issued: 02/03/2004

SAFETY DATA SHEET

NITRIC ACID

Solubility in water:	Miscible			
Boiling point/range°C:	122			
Melting point/range°C:	-42			
pH:	2			
10. STABILITY AND REACTIVITY				
Stability:	Stable under normal conditions.			
Conditions to avoid:	Heat.			
Materials to avoid:	Strong oxidising agents. Strong acids.			
Haz. decomp. products:	In combustion emits toxic fumes.			
11. TOXICOLOGICAL INFORMATION				
Routes of exposure:	Refer to section 4 of SDS for routes of exposure and corresponding symptom	S.		
12. ECOLOGICAL INFOR	MATION			
Mobility:	Readily absorbed into soil.			
Persistence and degradability:	Biodegradable.			
Bioaccumulative potential:	No bioaccumulation potential.			
Other adverse effects:	Negligible ecotoxicity.			
13. DISPOSAL CONSIDER	ATIONS			
NB:	The user's attention is drawn to the possible existence of regional or national	regulations		
	regarding disposal.			
14. TRANSPORT INFORM				
14. TRANSPORT INFORM				
		8		
ADR / RID	ATION			
ADR / RID UN no: Packing group:	ATION ADR Class:			
ADR / RID UN no: Packing group:	ATION 2031 ADR Class: II Classification code: NITRIC ACID (NITRIC ACID70%)	CO1		
ADR / RID UN no: Packing group: Shipping name:	ATION 2031 ADR Class: II Classification code: NITRIC ACID (NITRIC ACID70%)	CO1		
ADR / RID UN no: Packing group: Shipping name:	ATION 2031 ADR Class: II Classification code: NITRIC ACID (NITRIC ACID70%) 8 Hazard ID no:	CO1		
ADR / RID UN no: Packing group: Shipping name: Labelling:	ATION 2031 ADR Class: II Classification code: NITRIC ACID (NITRIC ACID70%) 8 Hazard ID no:	CO1 80		
ADR / RID UN no: Packing group: Shipping name: Labelling: IMDG / IMO	ATION 2031 ADR Class: II Classification code: NITRIC ACID (NITRIC ACID70%) 8 8 Hazard ID no: Image: Concrete state 9 2031 Class:	CO1 80		
ADR / RID UN no: Packing group: Shipping name: Labelling: IMDG / IMO UN no:	ATION 2031 ADR Class: II Classification code: NITRIC ACID (NITRIC ACID70%) B 8 Hazard ID no: Image: Classification code: Hazard ID no: Image: Classification code: Classification code: 2031 Class: II EmS:	CO1 80 8 F-A,S-B		
ADR / RID UN no: Packing group: Shipping name: Labelling: IMDG / IMO UN no: Packing group:	ATION 2031 ADR Class: II Classification code: NITRIC ACID (NITRIC ACID70%) B 8 Hazard ID no: Image: Correstory of the second seco	CO1 80 8 F-A,S-B		
ADR / RID UN no: Packing group: Shipping name: Labelling: IMDG / IMO UN no: Packing group: Marine pollutant:	ATION 2031 ADR Class: II Classification code: NITRIC ACID (NITRIC ACID70%) 8 8 Hazard ID no: Image: Concosive state 10 2031 Class: I EmS: NO Labelling:	CO1 80 8 F-A,S-B 8		

Page 3

SAFETY DATA SHEET NITRIC ACID

Page 4

Packing instructions: 807(P&CA); 813(CAO) Packing group: II Labelling: 8 **15. REGULATORY INFORMATION** Hazard symbols: Corrosive. Risk phrases: R35: Causes severe burns. S23: Do not breathe ... Safety phrases: S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39: Wear suitable protective clothing, gloves and eye / face protection. S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions. **16. ADDITIONAL INFORMATION**

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.