

Printing date 08/15/2013 Reviewed on 08/15/2013

## 1 Identification of the substance/mixture and of the company

· Product identifier

· Trade name: Remover PG

· Product number: G050200

· Application of the substance / the preparation Photoresist remover

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

MicroChem Corp. 90 Oak Street P.O. Box 426

Newton, MA 02464-0002 USA

· Information department:

**Product Safety** 

Email: productsafety@microchem.com

· Emergency telephone number:

MicroChem Corp: 617-965-5511

Chemtrec USA Emergency: 800-424-9300

Chemtrec International Emergency: 703-527-3887

## 2 Hazards identification

· Classification of the substance or mixture



GHS08 Health hazard

Repr. 1B H360 May damage fertility or the unborn child.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

*H227 Combustible liquid.* 

- · Label elements
- GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

N-methyl-2-pyrrolidinone

· Hazard statements

H227 Combustible liquid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 2)

Printing date 08/15/2013 Reviewed on 08/15/2013

Trade name: Remover PG

(Contd. of page 1)

H360 May damage fertility or the unborn child.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P201 Obtain special instructions before use.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
872-50-4	N-methyl-2-pyrrolidinone	99-99.5%	
	Repr. 1B, H360;		
	Proprietary Surfactant	0.1-1.0%	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319		
· SVHC			

## 4 First aid measures

· Description of first aid measures

872-50-4 N-methyl-2-pyrrolidinone

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)



Printing date 08/15/2013 Reviewed on 08/15/2013

Trade name: Remover PG

(Contd. of page 2)

· After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear SCBA.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose contaminated material as waste according to Section 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaust at the workplace.

Open and handle container with care.

Prevent formation of aerosols.

Store in cool, dry place in tightly closed containers.

· Information about protection against explosions and fires:

Keep respirator available.

Keep ignition sources away - Do not smoke.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and containers:

Store in a cool location.

Suitable material for receptacles and pipes: steel or stainless steel.

- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Keep container tightly sealed.

(Contd. on page 4)



Printing date 08/15/2013 Reviewed on 08/15/2013

Trade name: Remover PG

(Contd. of page 3)

This product is hygroscopic.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

## 872-50-4 N-methyl-2-pyrrolidinone

WEEL 10 ppm Skin

· Ingredients with biological limit values:

### 872-50-4 N-methyl-2-pyrrolidinone

BEI 100 mg/L

Medium: urine Time: end of shift

Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Pregnant women should strictly avoid inhalation or skin contact.

· Respiratory equipment:

In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Contact golve manufacturerer for break-through time.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material Contact glove manufacture for break-through time.
- · Eye protection:



Tightly sealed goggles

TICA



Printing date 08/15/2013 Reviewed on 08/15/2013

Trade name: Remover PG

(Contd. of page 4)

Information on basic physical and c	chemical properties		
General Information Appearance:			
Form:	Liquid		
Color:	Clear to light yellow		
Odor:	Amine-like		
Odour threshold:	Not determined.		
pH-value at 20 °C (68 °F):	l. basisch		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	202 °C (396 °F)		
Flash point:	86 °C (187 °F)		
Flammability (solid, gaseous):	Not applicable.		
Ignition temperature:	270 °C (518 °F)		
Decomposition temperature:	Not determined.		
Auto igniting:	Product is not selfigniting.		
Danger of explosion:	Not determined.		
Explosion limits:			
Lower:	1.3 Vol %		
Upper:	9.5 Vol %		
Vapor pressure at 20 °C (68 °F):	0.39-0.43 hPa (0-0 mm Hg)		
Density at 25 °C (77 °F):	$1.030 \text{ g/cm}^3 (8.595 \text{ lbs/gal})$		
Relative density	Not determined.		
Vapour density	Not determined.		
Evaporation rate	0.03 (BuAc=1)		
Solubility in / Miscibility with			
Water:	Fully miscible.		
Partition coefficient (n-octanol/wate	e <b>r</b> ): Not determined.		
Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
Other information	No further relevant information available.		

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability Stable under normal use conditions
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. on page 6)



Printing date 08/15/2013 Reviewed on 08/15/2013

Trade name: Remover PG

Nitrogen oxides

(Contd. of page 5)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:					
872-50-4 N-methyl-2-pyrrolidinone					
Oral	LD50	3914 mg/kg (rat)			
Dermal	LD50	8000 mg/kg (rabbit)			
Inhalative	LC50/4 h	>5.0 mg/l (rat)			

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Experience with humans: No further relevant information available.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

### 872-50-4 N-methyl-2-pyrrolidinone

EC50/24 h >1000 mg/l (daphnia magna)

LC50/96 h > 500 mg/l (Leuciscus idus)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

TICA



Printing date 08/15/2013 Reviewed on 08/15/2013

Trade name: Remover PG

(Contd. of page 6)

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:	Not Regulated	
UN "Model Regulation":	-	

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355 (extremely hazardous substances	· Section 355	(extremely	hazardous	substances	):
---	---------------	------------	-----------	------------	----

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

872-50-4 N-methyl-2-pyrrolidinone

· TSCA (Toxic Substances Control Act):

All ingredients are listed or comply with TSCA regulations.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(Contd. on page 8)

Printing date 08/15/2013 Reviewed on 08/15/2013

Trade name: Remover PG

(Contd. of page 7)

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

872-50-4 N-methyl-2-pyrrolidinone

· Carcinogenic categories

#### · EPA (Environmental Protection Agency)

None of the ingredients are listed.

### · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

#### · Massachusetts State Right To Know List

872-50-4 N-methyl-2-pyrrolidinone

#### · New Jersey State Right To Know List

872-50-4 N-methyl-2-pyrrolidinone

#### · Pennsylvania Hazardous Substances List

872-50-4 N-methyl-2-pyrrolidinone

- · California SCAOMD Rule 443.1 VOC's: 1026 g/l; vapor pressure 0.3 mm Hg 20C
- · GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

#### · Signal word Danger

### · Hazard-determining components of labelling:

N-methyl-2-pyrrolidinone

### · Hazard statements

H227 Combustible liquid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

H335 May cause respiratory irritation.

#### · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

*P280* Wear protective gloves/protective clothing/eye protection/face protection.

*P201 Obtain special instructions before use.* 

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 9)



Printing date 08/15/2013 Reviewed on 08/15/2013

Trade name: Remover PG

(Contd. of page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Product safety department
- · Contact: Mr. Weber

#### · Last Revision Date:

8/15/2013 Revised precautionary statements. Updated component toxicology data and US State Right to Know listings.

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

USA -