# SAFETY DATA SHEET

Version 4.7 Revision Date 10/03/2017 Print Date 09/24/2018

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Tris(dimethylamino)silane

Product Number : 570133 Brand : Aldrich

CAS-No. : 15112-89-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Substances and mixtures, which in contact with water, emit flammable gases (Category 2), H261

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 1), H330 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H261 In contact with water releases flammable gases.

H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

H412 Harmful to aquatic life with long lasting effects. Precautionary statement(s) P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P223 Do not allow contact with water. P231 + P232 Handle under inert gas. Protect from moisture. Keep container tightly closed. P233 Ground/bond container and receiving equipment. P240 P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. Take precautionary measures against static discharge. P243 P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. P264 Do not eat, drink or smoke when using this product. P270 Use only outdoors or in a well-ventilated area. P271 P273 Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face P280 protection. P284 Wear respiratory protection. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301 + P312 + P330 Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Brush off loose particles from skin. Immerse in cool water/ wrap in wet P335 + P334 bandages. P362 Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to P370 + P378 extinguish. P402 + P404 Store in a dry place. Store in a closed container. Store in a well-ventilated place. Keep container tightly closed. P403 + P233 P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

 $\begin{tabular}{lll} Formula & : & $C_6H_{19}N_3Si$ \\ Molecular weight & : & 161.32 g/mol \\ CAS-No. & : & 15112-89-7 \\ EC-No. & : & 239-165-0 \\ \end{tabular}$ 

**Hazardous components** 

Component	Classification	Concentration
Tris(dimethylamino)silane		
	Flam. Liq. 2; Water-react. 2; Acute Tox. 4; Acute Tox. 1; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 3; Aquatic Chronic 3; H225, H261, H302, H311, H314,	90 - 100 %
	H330, H412	

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - 570133 Page 2 of 8

### 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **5. FIREFIGHTING MEASURES**

# 5.1 Extinguishing media

## Suitable extinguishing media

Dry powder Dry sand

#### Unsuitable extinguishing media

Do NOT use water jet.

## 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Do not flush with water.

# 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Never allow product to get in contact with water during storage.

Air and moisture sensitive. Handle and store under inert gas.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

# Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

## 8.2 Exposure controls

# **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

## Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odourc) Odour ThresholdNo data availableNo data available

d) pH No data available

Aldrich - 570133 Page 4 of 8

e) Melting point/freezing Melting point/range: -90 °C (-130 °F) - lit.

point

f) Initial boiling point and 142 °C (288 °F) - lit.

boiling range

g) Flash point -8.89 - 0.00 °C (16.00 - 32.00 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower No data available flammability or explosive limits

k) Vapour pressure No data availablel) Vapour density No data available

m) Relative density 0.838 g/cm3 at 25 °C (77 °F)

n) Water solubility No data available
 o) Partition coefficient: n- No data available octanol/water

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

# 9.2 Other safety information

No data available

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.Reacts violently with water.

### 10.4 Conditions to avoid

Heat, flames and sparks. Exposure to moisture

# 10.5 Incompatible materials

Strong oxidizing agents

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), silicon oxides Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 594 mg/kg

Remarks: Lungs, Thorax, or Respiration:Dyspnea. Gastrointestinal:Other changes. Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

Aldrich - 570133 Page 5 of 8

LC50 Inhalation - Rat - 6 h - 38 ppm

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation. Behavioral: Ataxia. Gastrointestinal: Changes in structure or function of salivary glands.

Dermal: No data available

No data available

#### Skin corrosion/irritation

Skin - Rabbit

# Serious eye damage/eye irritation

Eyes - Rabbit

## Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

No data available

No data available

### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: VV5800000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

### 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 3399 Class: 4.3 (3) Packing group: II

Proper shipping name: Organometallic substance, liquid, water-reactive, flammable (Tris(dimethylamino)silane)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 3398 Class: 4.3 Packing group: II EMS-No: F-G, S-N

Proper shipping name: ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE (Tris(dimethylamino)silane)

**IATA** 

UN number: 3398 Class: 4.3 Packing group: II

Proper shipping name: Organometallic substance, liquid, water-reactive (Tris(dimethylamino)silane)

# 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard, Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

CAS-No. Revision Date

Tris(dimethylamino)silane 15112-89-7

CAS-No. Revision Date

Tris(dimethylamino)silane 15112-89-7

**New Jersey Right To Know Components** 

CAS-No. Revision Date

Tris(dimethylamino)silane 15112-89-7

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Aldrich - 570133 Page 7 of 8

### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity
Eye Dam. Serious eye damage
Flam. Lig. Flammable liquids

H225 Highly flammable liquid and vapour.

H261 In contact with water releases flammable gases.

H302 Harmful if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

### **HMIS Rating**

Health hazard: 4
Chronic Health Hazard: \*
Flammability: 3
Physical Hazard 1

## NFPA Rating

Health hazard: 3
Fire Hazard: 3
Reactivity Hazard: 1
Special hazard.1: W

# **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.7 Revision Date: 10/03/2017 Print Date: 09/24/2018

Aldrich - 570133 Page 8 of 8