Revision date: 4/5/2018 Revision: 4 Supersedes date: 3/15/2017



# SAFETY DATA SHEET Zinc Oxide (pieces)

## 1. Identification

**Product identifier** 

Product name Zinc Oxide (pieces)

Internal identification Replaces M-2200-335, M-2200-336

**CAS number** 1314-13-2

Recommended use of the chemical and restrictions on use

**Application** Exterior surface coating.

**Uses advised against**No specific uses advised against are identified.

Details of the supplier of the safety data sheet

Supplier Kurt J Lesker Company

Manufacturer Kurt J Lesker Company

1925 Route 51

Jefferson Hills, PA 15025

+1 412-387-9200

Kurt J Lesker Company LTD

United Kingdom 15-16 Burgess Road

Hastings, East Sussex, TN35 4NR

England

Customer Service: +44 (0) 1424 458100

msds@lesker.com

**Emergency telephone number** 

Emergency telephone North America [USA, Canada, Mexico]: 1-866-519-4752

Mainland China: (+86) 4001 2001 74 Europe: {int'l call prefix}-1-760-476-3961 Asia Pacific: {int'l call prefix}-1-760-476-3960

Middle East & Africa: {int'l call prefix}-1-760-476-3959

Access Code - 333594

## 2. Hazard(s) identification

## Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

**Environmental hazards** Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Label elements

## **Pictogram**



Signal word Warning

**Hazard statements** H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/ container in accordance with national regulations.

#### 3. Composition/information on ingredients

#### **Mixtures**

Zinc Oxide (pieces) 0 - 100%

CAS number: 1314-13-2

M factor (Acute) = 1 M factor (Chronic) = 10

Classification

Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

## 4. First-aid measures

## Description of first aid measures

General information If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical

personnel.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms

are severe or persist.

Ingestion Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not

induce vomiting unless under the direction of medical personnel.

**Skin Contact** Rinse with water.

**Eye contact** Rinse with water. Get medical attention if any discomfort continues.

**Protection of first aiders** First aid personnel should wear appropriate protective equipment during any rescue.

## Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

InhalationNo specific symptoms known.IngestionNo specific symptoms known.

**Skin contact** Prolonged contact may cause dryness of the skin.

Eye contact No specific symptoms known. May be slightly irritating to eyes.

## Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

## 5. Fire-fighting measures

## **Extinguishing media**

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

## Special hazards arising from the substance or mixture

Specific hazards

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapors.

None known.

#### Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

## 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be

taken without appropriate training or involving any personal risk.

**Environmental precautions** 

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the

aquatic environment.

## Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## 7. Handling and storage

## Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

Advice on general Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash

occupational hygiene before reuse. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container. Keep container tightly closed, in a cool, well ventilated

place. Keep containers upright. Protect containers from damage.

Storage class Miscellaneous hazardous material storage.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

## 8. Exposure Controls/personal protection

## Control parameters

#### Occupational exposure limits

Long-term exposure limit (8-hour TWA): OSHA 15 mg/m³ total dust

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ respirable fraction Short-term exposure limit (15-minute): ACGIH 10 mg/m³ respirable fraction

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m³ fume

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m³ respirable fraction

## Zinc Oxide (pieces)

Long-term exposure limit (8-hour TWA): OSHA 15 mg/m³ total dust

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ respirable fraction Short-term exposure limit (15-minute): ACGIH 10 mg/m³ respirable fraction

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m³ fume

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m³ respirable fraction

OSHA = Occupational Safety and Health Administration.

ACGIH = American Conference of Governmental Industrial Hygienists.

Immediate danger to life and 500 mg/m<sup>3</sup>

health

Zinc Oxide (pieces) (CAS: 1314-13-2)

Immediate danger to life 500 mg/m³ and health

## **Exposure controls**

#### Protective equipment





Appropriate engineering

controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

**Eye/face protection**Unless the assessment indicates a higher degree of protection is required, the following

protection should be worn: Tight-fitting safety glasses.

Hand protection No specific hand protection recommended. Avoid contact with skin.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures Wash hands thoroughly after handling. Wash at the end of each work shift and before eating,

smoking and using the toilet. Do not eat, drink or smoke when using this product.

Revision date: 4/5/2018 Revision: 4 Supersedes date: 3/15/2017

## Zinc Oxide (pieces)

Respiratory protection Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH

approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.

Environmental exposure

controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. Physical and Chemical Properties

## Information on basic physical and chemical properties

Appearance Solid.

Color Off-white.

Odor No characteristic odor.

Odor threshold Not applicable.

**pH** Not applicable.

Melting point 1975°C

**Initial boiling point and range** Not available.

Flash point Not applicable.

**Evaporation rate** Not applicable.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Vapor pressure Not available.

Vapor density Not available.

Relative density 5.606 @ 25°C

Bulk density Not available.

Solubility(ies) .00016 g/l water @ 30°C

Partition coefficient Not applicable.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not available.

Viscosity Not applicable.

Molecular weight 81.408

## 10. Stability and reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

Possibility of hazardous

reactions

No potentially hazardous reactions known.

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.

## 11. Toxicological information

## Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD50) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Based on available data the classification criteria are not met. Notes (inhalation LC₅₀)

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitization

Respiratory sensitization Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

## Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant. Solid. Revision date: 4/5/2018 Revision: 4 Supersedes date: 3/15/2017

## Zinc Oxide (pieces)

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation No specific symptoms known.

**Ingestion** No specific symptoms known.

**Skin Contact** Prolonged contact may cause dryness of the skin.

Eye contact No specific symptoms known.

Route of exposure Ingestion Inhalation Skin and/or eye contact

**Target Organs** No specific target organs known.

## 12. Ecological Information

**Toxicity** Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to

aquatic life with long lasting effects.

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Bioaccumulative potential

**Bio-Accumulative Potential** No data available on bioaccumulation.

Partition coefficient Not applicable.

Mobility in soil

Mobility No data available.

Other adverse effects

Other adverse effects None known.

## 13. Disposal considerations

## Waste treatment methods

General information The generation of waste should be minimized or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

**Disposal methods**Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents.

Incineration or landfill should only be considered when recycling is not feasible.

## 14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, DOT).

## **UN Number**

Not applicable.

## UN proper shipping name

Not applicable.

## Transport hazard class(es)

No transport warning sign required.

## Packing group

Not applicable.

## **Environmental hazards**

## **Environmentally Hazardous Substance**

No.

## Special precautions for user

Based on available knowledge of this material, it has been determined to be non-hazardous and will not pose a risk to persons or the environment in its provided form. However, any cutting, welding, melting, grinding, or use for deposition will produce dust, fume, or particulates containing component elements of this material. Exposure to these components may present significant health hazards. Note: Fine particulate may be a combustible dust which, when dispersed in air, may present an explosion hazard.

**Transport in bulk according to** Not applicable. **Annex II of MARPOL 73/78** 

and the IBC Code

## 15. Regulatory information

## **US Federal Regulations**

## SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed or exempt.

## CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

## SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

## SARA 313 Emission Reporting

Yes

## **CAA Accidental Release Prevention**

None of the ingredients are listed or exempt.

#### FDA - Essential Chemical

None of the ingredients are listed or exempt.

## FDA - Precursor Chemical

None of the ingredients are listed or exempt.

## SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

## OSHA Highly Hazardous Chemicals

None of the ingredients are listed or exempt.

## **US State Regulations**

## California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

## California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed or exempt.

## California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed or exempt.

#### California Directors List of Hazardous Substances

None of the ingredients are listed or exempt.

## Massachusetts "Right To Know" List

All the ingredients are listed or exempt.

## Rhode Island "Right To Know" List

All the ingredients are listed or exempt.

## Minnesota "Right To Know" List

None of the ingredients are listed or exempt.

#### New Jersey "Right To Know" List

All the ingredients are listed or exempt.

## Pennsylvania "Right To Know" List

All the ingredients are listed or exempt.

#### **Inventories**

#### **US-TSCA**

All the ingredients are listed or exempt.

## US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

## 16. Other information

**Training advice** Only trained personnel should use this material.

Revision date 4/5/2018

Revision 4

Supersedes date 3/15/2017

**SDS No.** 4562

Hazard statements in full H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**End of SDS** 

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.