# SAFETY DATA SHEET

Version 4.12 Revision Date 05/17/2018 Print Date 10/12/2018

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Chlorobenzene

Product Number : 284513
Brand : Sigma-Aldrich
Index-No. : 602-033-00-1

CAS-No. : 108-90-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315

Acute aquatic toxicity (Category 2), H401

Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H226 Flammable liquid and vapour.

H315 Causes skin irritation. H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools. Take precautionary measures against static discharge. P243 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P261 Wash skin thoroughly after handling. P264 Use only outdoors or in a well-ventilated area. P271 Avoid release to the environment. P273 Wear protective gloves/ eye protection/ face protection. P280 IF ON SKIN (or hair): Take off immediately all contaminated clothing. P303 + P361 + P353 Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for P304 + P340 + P312 breathing. Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/ attention. P332 + P313 Take off contaminated clothing and wash before reuse. P362 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P391 Collect spillage. P403 + P235 Store in a well-ventilated place. Keep cool. Dispose of contents/ container to an approved waste disposal plant. P501

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Formula : C<sub>6</sub>H<sub>5</sub>Cl

Molecular weight : 112.56 g/mol

CAS-No. : 108-90-7

EC-No. : 203-628-5

Index-No. : 602-033-00-1

**Hazardous components** 

| Component     | Classification                  | Concentration |
|---------------|---------------------------------|---------------|
| Chlorobenzene |                                 |               |
|               | Flam. Liq. 3; Acute Tox. 4;     | 90 - 100 %    |
|               | Skin Irrit. 2; Aquatic Acute 2; |               |
|               | Aquatic Chronic 2; H226,        |               |
|               | H315, H332, H411                |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - 284513 Page 2 of 9

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

# Components with workplace control parameters

| Components with workplace control parameters |          |   |                    |   |  |  |
|--|----------|---|--------------------|---|--|--|
| Component                                    | CAS-No.  | Value   | Control parameters | Basis                                   |  |  |
| Chlorobenzene                                | 108-90-7 | TWA   | 10 ppm             | USA. ACGIH Threshold Limit Values (TLV) |  |  |
|  | Remarks  | Liver damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans |                    |   |  |  |
|  |          | See Appendix D - Substances with No Established RELs  |                    |   |  |  |

| TWA       | 75 ppm<br>350 mg/m3                | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants        |  |
|-----------|------------------------------------|---|--|
| The value | The value in mg/m3 is approximate. |   |  |
| PEL       | 10 ppm<br>46 mg/m3                 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |  |

**Biological occupational exposure limits** 

| Component | CAS-No. | Parameters                      | Value                           | Biological specimen | Basis   |  |
|-----------|---------|---------------------------------|---------------------------------|---------------------|---|--|
|           | -       | 4-<br>Chlorocatech<br>ol        | 100mg/g<br>Creatinine           | Urine               | ACGIH - Biological<br>Exposure Indices<br>(BEI) |  |
|           | Remarks | End of shift at                 | End of shift at end of workweek |                     |   |  |
|           |         | p-<br>Chlorophenol              | 20mg/g<br>Creatinine            | Urine               | ACGIH - Biological<br>Exposure Indices<br>(BEI) |  |
|           |         | End of shift at end of workweek |                                 |                     |   |  |

# 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It

should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Sigma-Aldrich - 284513 Page 4 of 9

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Colour: colourless

b) Odour No data available

c) Odour Threshold No data available

d) pH neutral

e) Melting point/freezing

point

Melting point/range: -45 °C (-49 °F) - lit.

f) Initial boiling point and

boiling range

132 °C (270 °F) - lit.

g) Flash point 27.0 °C (80.6 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 7.1 %(V) flammability or Lower explosion limit: 1.3 %(V)

explosive limits
Vapour pressure

15.7 hPa (11.8 mmHg) at 25.0 °C (77.0 °F)

I) Vapour density No data available

m) Relative density 1.106 g/cm3 at 25 °C (77 °F) n) Water solubility 0.207 g/l at 20 °C (68 °F)

o) Partition coefficient: n-

octanol/water

log Pow: 2.89

p) Auto-ignition

temperature

637.0 °C (1,178.6 °F)

q) Decomposition

temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

Solubility in other

solvents

Alcohol - soluble Benzene - soluble Chloroform - soluble Ether - soluble

Surface tension 33.0 mN/m at 25.0 °C (77.0 °F)

# 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Sigma-Aldrich - 284513 Page 5 of 9

## 10.4 Conditions to avoid

Heat, flames and sparks.

# 10.5 Incompatible materials

Strong oxidizing agents

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - 2,000 - 4,000 mg/kg

(OECD Test Guideline 401)

Inhalation: absorption

LC50 Inhalation - Rat - 4 h - 15.5 - 16.5 mg/l

(OECD Test Guideline 403)

Dermal: absorption

No data available

#### Skin corrosion/irritation

Dermatitis Drying-out effect resulting in rough and chapped skin.

Skin - Rabbit

(OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

# Respiratory or skin sensitisation

Sensitisation test: - Guinea pig

Result: negative

(OECD Test Guideline 406)

## Germ cell mutagenicity

No data available

Ames test

Result: negative

Mutagenicity (mammal cell test):

Result: negative

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

# Reproductive toxicity

No data available

No data available

# Specific target organ toxicity - single exposure

No data available

Acute oral toxicity - Pain, Vomiting, Diarrhoea, Risk of aspiration upon vomiting., Pulmonary failure possible after aspiration of vomit.

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: CZ0175000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

CNS disorders, tachycardia, drop in blood pressure, agitation, spasms, ataxia (impaired locomotor coordination),

narcosis, Headache

Damage to:

Liver. Kidnev

Handle in accordance with good industrial hygiene and safety practice.

## 12. ECOLOGICAL INFORMATION

#### 12.1 **Toxicity**

Toxicity to fish LC50 - Salmo - 10.4 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and

EC0 - E.sulcatum - > 390 mg/l - 72 h

other aquatic

Remarks: (Lit.) invertebrates

EC50 - Daphnia magna (Water flea) - 20 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae ErC50 - Desmodesmus subspicatus (green algae) - 11.4 mg/l - 72 h

(OECD Test Guideline 201) Remarks: (External MSDS)

EC50 - activated sludge - 140 mg/l - 30 min Toxicity to bacteria

(OECD Test Guideline 209)

# 12.2 Persistence and degradability

Biodegradability Result: 15 % - Not readily biodegradable.

(OECD Test Guideline 301C)

Theoretical oxygen 2,060 mg/g demand Remarks: (Lit.)

Ratio BOD/ThBOD 1.5 %

Remarks: (Lit.)

#### 12.3 Bioaccumulative potential

(External MSDS)

#### 12.4 Mobility in soil

No data available

## Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

Discharge into the environment must be avoided.

Sigma-Aldrich - 284513 Page 7 of 9

## 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1134 Class: 3 Packing group: III

Proper shipping name: Chlorobenzene Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

**IMDG** 

**IATA** 

UN number: 1134 Class: 3 Packing group: III

Proper shipping name: Chlorobenzene

## 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date Chlorobenzene 108-90-7 2007-07-01

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

# **Massachusetts Right To Know Components**

CAS-No. Revision Date Chlorobenzene 108-90-7 2007-07-01

## Pennsylvania Right To Know Components

CAS-No. Revision Date Chlorobenzene 108-90-7 2007-07-01

CAS-No. Revision Date

Chlorobenzene 108-90-7 2007-07-01

## **New Jersey Right To Know Components**

CAS-No. Revision Date Chlorobenzene 108-90-7 2007-07-01

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### 16. OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Sigma-Aldrich - 284513 Page 8 of 9

Aquatic Chronic Chronic aquatic toxicity Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.

H315 Causes skin irritation. H332 Harmful if inhaled. H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

## **HMIS Rating**

Health hazard: 2
Chronic Health Hazard:
Flammability: 3
Physical Hazard 0

# **NFPA Rating**

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.12 Revision Date: 05/17/2018 Print Date: 10/12/2018

Sigma-Aldrich - 284513 Page 9 of 9